



HAMILTON

MERCURY AND REED RELAYS




HAMILTON ELECTRONICS PVT. LTD.

B-36/5, G.T. Karnal Road Industrial Area Delhi - 110033.


Ph.: 724 5389, 724 9931, 711 2114 Fax : 91-11-724 2427/724 9931

SERIES 200 STAGGERED 1.0" X 0.1" GRID





RELAY TYPE	CONTACT TYPE	COIL RESISTANCE (OHMS)	NOMINAL COIL VOLTAGE (VOLTS)	MUST OPERATE VOLTAGE (VOLTS)	MUST RELEASE VOLTAGE (VOLTS)	PIN CONFIGURATION (TOP VIEW)
201-1A-05	1 NO	345	5	3.75	0.5	
201-1A-12	1 NO	2145	12	8.40	1.2	
201-1A-24	1 NO	7845	24	16.80	2.4	
201-1A-48	1 NO	12000	48	33.60	4.8	
201-1C-05	1 CO	345	5	3.75	0.5	
201-1C-12	1 CO	2145	12	8.40	1.2	
201-1C-24	1 CO	7845	24	16.80	2.4	
201-1C-48	1 CO	12000	48	33.60	4.8	
201-2A-05	2 NO	180	5	3.75	0.5	
201-2A-12	2 NO	1100	12	8.40	1.2	
201-2A-24	2 NO	4200	24	16.80	2.4	
201-2A-48	2 NO	10120	48	33.60	4.8	
201-2C-05	2 CO	180	5	3.75	0.5	
201-2C-12	2 CO	1100	12	8.40	1.2	
201-2C-24	2 CO	4200	24	16.80	2.4	
201-2C-48	2 CO	10120	48	33.60	4.8	
201-3A-05	3 NO	125	5	3.75	0.5	
201-3A-12	3 NO	545	12	8.40	1.2	
201-3A-24	3 NO	2085	24	16.80	2.4	
201-3A-48	3 NO	7940	48	33.60	4.8	

SERIES 300 IN LINE 1.0" X 0.15" GRID




RELAY TYPE	CONTACT TYPE	COIL RESISTANCE (OHMS)	NOMINAL COIL VOLTAGE (VOLTS)	MUST OPERATE VOLTAGE (VOLTS)	MUST RELEASE VOLTAGE (VOLTS)	PIN CONFIGURATION (TOP VIEW)
301-1A-05	1 NO	400	5	3.75	0.5	
301-1A-12	1 NO	1300	12	8.40	1.2	
301-1A-24	1 NO	3320	24	16.80	2.4	
301-1A-48	1 NO	6970	48	33.60	4.8	
301-1C-05	1 CO	400	5	3.75	0.5	
301-1C-12	1 CO	1300	12	8.40	1.2	
301-1C-24	1 CO	3320	24	16.80	2.4	
301-1C-48	1 CO	6970	48	33.60	4.8	
301-2A-05	2 NO	400	5	3.75	0.5	
301-2A-12	2 NO	1300	12	8.40	1.2	
301-2A-24	2 NO	3320	24	16.80	2.4	
301-2A-48	2 NO	6970	48	33.60	4.8	
301-2C-05	2 CO	400	5	3.75	0.5	
301-2C-12	2 CO	1300	12	8.40	1.2	
301-2C-24	2 CO	3320	24	16.80	2.4	
301-2C-48	2 CO	6970	48	33.60	4.8	
301-3A-05	3 NO	400	5	3.75	0.5	
301-3A-12	3 NO	1300	12	8.40	1.2	
301-3A-24	3 NO	3320	24	16.80	2.4	
301-3A-48	3 NO	6970	48	33.60	4.8	

SERIES 400 SINGLE IN LINE 0.2" X 0.4" X 0.2" GRID



RELAY TYPE	CONTACT TYPE	COIL RESISTANCE (OHMS)	NOMINAL COIL VOLTAGE (VOLTS)	MUST OPERATE VOLTAGE (VOLTS)	MUST RELEASE VOLTAGE (VOLTS)	PIN CONFIGURATION (TOP VIEW)
401-1A-04	1 NO	500	4	3.5	0.5	
401-1A-05	1 NO	125	5	3.5	0.5	
401-1A-12	1 NO	500	12	8.4	1.2	
401-1A-24	1 NO	2000	24	16.8	2.4	
401-1C-04	1 CO	500	4	3.5	0.5	
401-1C-05	1 CO	125	5	3.5	0.5	
401-1C-12	1 CO	500	12	8.4	1.2	
401-1C-24	1 CO	2000	24	16.8	2.4	


SERIES 500 AXIAL 1.0" X 0.1" GRID



1 POLE




2 POLE




RELAY TYPE	CONTACT TYPE	COIL RESISTANCE (OHMS)	NOMINAL COIL VOLTAGE (VOLTS)	MUST OPERATE VOLTAGE (VOLTS)	MUST RELEASE VOLTAGE (VOLTS)	PIN CONFIGURATION (TOP VIEW)
501-1A-05	1 NO	190	5	3.75	0.5	
501-1A-12	1 NO	500	12	8.40	1.2	
501-1A-24	1 NO	2000	24	16.80	2.4	
501-1C-05	1 CO	190	5	3.75	0.5	
501-1C-12	1 CO	500	12	8.40	1.2	
501-1C-24	1 CO	2000	24	16.80	2.4	
501-2A-05	2 NO	85	5	3.75	0.5	
501-2A-12	2 NO	410	12	8.40	1.2	
501-2A-24	2 NO	1500	24	16.80	2.4	
501-2C-05	2 CO	85	5	3.75	0.5	
501-2C-12	2 CO	410	12	8.40	1.2	
501-2C-24	2 CO	1500	24	16.80	2.4	


SERIES 600 IN LINE 1.0" X 0.1" GRID




1 POLE



2 POLE



3 POLE



RELAY TYPE	CONTACT TYPE	COIL RESISTANCE (OHMS)	NOMINAL COIL VOLTAGE (VOLTS)	MUST OPERATE VOLTAGE (VOLTS)	MUST RELEASE VOLTAGE (VOLTS)	PIN CONFIGURATION (TOP VIEW)
601-1A-05	1 NO	240	5	3.75	0.5	
601-1A-12	1 NO	960	12	8.40	1.2	
601-1A-24	1 NO	3840	24	16.80	2.4	
601-1A-48	1 NO	15400	48	33.60	4.8	
601-1C-05	1 CO	240	5	3.75	0.5	
601-1C-12	1 CO	960	12	8.40	1.2	
601-1C-24	1 CO	3840	24	16.80	2.4	
601-1C-48	1 CO	15400	48	33.60	4.8	
601-2A-05	2 NO	145	5	3.75	0.5	
601-2A-12	2 NO	500	12	8.40	1.2	
601-2A-24	2 NO	2300	24	16.80	2.4	
601-2A-48	2 NO	9200	48	33.60	4.8	
601-2C-05	2 CO	145	5	3.75	0.5	
601-2C-12	2 CO	500	12	8.40	1.2	
601-2C-24	2 CO	2300	24	16.80	2.4	
601-2C-48	2 CO	9200	48	33.60	4.8	
601-3A-05	3 NO	105	5	3.75	0.5	
601-3A-12	3 NO	415	12	8.40	1.2	
601-3A-24	3 NO	1660	24	16.80	2.4	
601-3A-48	3 NO	6760	48	33.60	4.8	

